



File Name: canon 8350 manual.pdf
Size: 1472 KB
Type: PDF, ePub, eBook
Category: Book
Uploaded: 19 May 2019, 17:21 PM
Rating: 4.6/5 from 770 votes.

Status: AVAILABLE

Last checked: 2 Minutes ago!

In order to read or download canon 8350 manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

- [Register a free 1 month Trial Account.](#)
- [Download as many books as you like \(Personal use\)](#)
- [Cancel the membership at any time if not satisfied.](#)
- [Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon 8350 manual . To get started finding canon 8350 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon 8350 manual

This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Please click below to find a quick resolution to your inquiry. The driver may be included in your OS or you may not need a driver. Recommended Drivers File Name Date File Size Optional Drivers File Name Date File Size Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size Warranty replacement shall not extend the original warranty period of the Product. Note that a dated proof of purchase is required at the time of service. This requirement will be satisfied by providing a copy of your dated bill of sale or invoice. You must contact an ASF during such ASF's normal business hours to schedule the repair. If shipping is involved, it is your responsibility to properly package and send the Product at your cost to the ASF, together with your dated proof of purchase and a complete explanation of the problem. A Product covered by this limited warranty will be repaired and returned to you without charge by the ASF. Repairs not covered under this warranty will be charged to you at the then current service rates of the ASF. If the problem cannot be corrected over the telephone, the Canon USA Help Desk will have a local service technician contact you to arrange for next business day service. You will be charged at the then current service call rates of the ASF if the defects in the Product are not covered by this limited warranty, or if the first year of the warranty period on the Product has expired or has not been sufficiently established by appropriate documentation. Canon USA does not guarantee next business day service in the event of the occurrence of factors beyond Canon USA's reasonable control. <http://djapm.com/userfiles/craftsman-multimeter-manual-82141.xml>

- **canon 8350 manual, canon mf8350 manual, canon ts8350 manual, canon pixma 8350 manual, canon pixma ts8350 manual, canon mf 8350 service manual, canon 8350 manual download, canon 8350 manual pdf, canon 8350 manual software, canon 8350 manual downloads.**

Repairs of such Canon brand peripheral equipment shall be governed by the terms of the Separate Warranty. Nor does this warranty extend to any Product on which the original identification marks or serial numbers have been defaced, removed, or altered. The warranty in the preceding sentence applies to Toner and Drums A defective Toner or Drum returned to Canon U.S.A., Inc., Canon Canada, Inc. or an Dealer. To obtain the shipping address of Canon U.S.A, Inc., Canon Canada, Inc. or a Dealer. To obtain the shipping address of Canon U.S.A, Inc. or. Canon Canada, Inc., please call the Canon U.S.A., Inc. Help Desk at 18008284040 or Canon Canada Technical. Support at 1800OKCANON. Shipping charges, if any, must be prepaid. If your Toner or Drum is covered by this Inc. or the Dealer from whom you purchased the Toner or Drum. Toner or Drum yield will vary depending on average density of originals copied and other Canon which damage the Toner or Drum or cause abnormally frequent service calls or service problems. Nor does Keep from contact with oxidizing materials. Refer to instructions for handling and storing. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store It provides up to three full years of service and support from the date you purchased your Canon product. CarePAK provides tollfree Canon technical support and includes Canons superb InstantExchange replacement program. Protect against unforeseen repair costs, excessive downtime, and enjoy peace of mind for years to come knowing your new equipment is fully covered. We have 5 Canon Color imageCLASS MF8350Cdn manuals available for free PDF download Basic Operation Manual, Starter

Manual. You may download and use the Content solely for your personal, noncommercial use and at your own risks. <http://www.casaperferiesantamariagoretti.com/writable/public/userfiles/dualit-toaster-service-manual.xml>

Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. Help, instructions, installation, configuration, WiFi wireless connection, how to print and scan, printer specifications, maintenance, troubleshooting, error codes, etc. Hardware Canon PIXMA TS8350. Category Wireless all in one printer Multifunction. Functions Print, copy, scan. Connectivity USB, WiFi, Bluetooth. Mobile printing Canon PRINT, PIXMA Cloud Link, Apple AirPrint, Wireless Direct, Mopria. Well assume youre ok with this, but you can optout. Out of these cookies, the cookies that are categorized as necessary are stored on your browser as they are essential for the working of basic functionalities of the website. We also use thirdparty cookies that help us analyze and understand how you use this website. These cookies will be stored in your browser only with your consent. You also have the option to optout of these cookies. But opting out of some of these cookies may have an effect on your browsing experience. This category only includes cookies that ensures basic functionalities and security features of the website. These cookies do not store any personal information. It is mandatory to procure user consent prior to running these cookies on your website. Please call us for the most accurate information. Please contact us for options. Precision Roller is in no way affiliated, sponsored or endorsed by these copyright owners or their affiliates or dealers This website uses a secure server to encrypt all sensitive information. This section describes how to register settings in a button and scan with it. Configuring Scan Settings in MF Toolbox Placing Documents Close the screen before scanning.

A subfolder named with the scanning date is created, and the data is saved to that folder. In this case, fan the paper thoroughly, and then align the edges of the stack properly on a hard, flat surface. If the paper stack exceeds the load limit mark lines, this may result in misfeeds. You cannot print on the reverse side of envelopes. Also, be sure to close the flap before loading envelopes. Only one sheet of the paper can be loaded in the manual feed slot. You can print, zoom or read any diagram, picture or page from this Service Manual. Every chapter on this manual is fully detailed and contain all the simulation codes, trouble codes, maintenance procedures, reset procedures, diagnose procedures of Canon imageCLASS MF8010 MF8030 MF8040 MF8050 MF8080 MF8330 MF8340 MF8350 MF8360 MF8380 photocopier. You can find easily everything what do you need. To see what contain, please read table of contents. Ask your question here. Provide a clear and comprehensive description of the issue and your question. The more detail you provide for your issue and question, the easier it will be for other Canon Pixma TS8350 owners to properly answer your question. Ask a question This manual comes under the category Printers and has been rated by 2 people with an average of a 8.5. This manual is available in the following languages English. Do you have a question about the Canon Pixma TS8350 or do you need help. Ask your question here Canon Pixma TS8350 specifications Brand Turn the printer off, and make sure that the printhead is not hanging over the paper and that no paper remains in the printer. In that case you will receive a message that the cartridge is empty. The manual of the purchased cartridge usually contains the solution, if this does not work, it is advisable to contact the seller. Check if the cartridges or toners are full. If so, inkjet printers often require cleaning the printer, the cartridges have dried out, or the print head is broken.

With laser printers, calibrating the laser printer is recommended. ManualSearcher.com ensures that you will find the manual you are looking for in no time. Our database contains more than 1 million

PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for. Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher. com If you continue to use this site we will assume that you are happy with it. Read more Ok. Please check your inbox, and if you can't find it, check your spam folder to make sure it didnt end up there. Please also check your spam folder. After you finish reading this guide, store it in a safe place for future reference. You can enlarge or reduce copies as well as copy multiple documents onto one sheet. Additionally, you can erase the background of documents or adjust the density and image quality before copying. Enlarge or reduce documents and print multiplepage data onto one sheet. If you are using the MF8350Cdn, you can also perform 2sided printing. You can make one large poster by joining these printouts together. The machine is equipped with a Super G3 fax, with high transmission speeds as well as the PC function which can send a document from a computer directly, which reduces paper costs. Because you do not need to print the document, you can reduce the paper cost as well as send a clear document which has little dirt or blur. You can specify the destinations using various methods, enabling you to send documents quickly and easily. If you do not need them, you can delete them, saving paper to be used. You can easily send scanned documents to your computer as well as save scanned images or documents to a USB memory directly from the machine. Therefore, Since the machine has a builtin network board, you can print, fax, and scan from a computer via a network.

You can also perform efficient management by configuring the machine using the Remote UI. Be sure to read this manual before using the machine. To use the machine safely, always pay attention to these warnings. To use the machine safely, always pay attention to these cautions. Be sure to read these items carefully to operate the machine correctly, and avoid damage to the machine or property. Reading these notes is highly recommended. Depending on the system configuration and product purchased, the appearance of the display may differ. If these items are dropped or spilled inside the machine, immediately turn off the power switches of the machine and computer 1 and disconnect the interface cable if it is connected 2. Then, unplug the power plug from the AC power outlet 3 and contact your local authorized Canon dealer. Blocking the slots can cause the machine to overheat, resulting in a fire. If not connected properly, this may result in malfunction or electrical shock. Failure to do so may cause you to This can cause electrical damage, resulting in fire or electrical shock. Failure to do so can cause the power cord insulation to melt, resulting in a fire or electrical shock. Failure to do so can result in a fire or electrical shock. This could result in a fire. Avoid the following situations Lightning can result in a fire, electrical shock or malfunction. If objects are placed around the power plug, you may be unable to unplug it in an emergency. Do not allow children to touch the power cord, cables, internal gears, or electrical parts. Then, unplug the power plug from the AC power outlet and contact your local authorized Canon dealer. Continued use can result in a fire or electrical shock. If flammable substances come into contact with electrical parts inside the machine, this may result in a fire or electrical shock. Failure to do so can damage the cables or cords, resulting in a fire or electrical shock. Failure to do so can result in an overheating and fire.

Also, do not spill water, liquids, or other flammable substances alcohol, benzene, paint thinner, etc. inside the machine. If these items come into contact with If these items are dropped or spilled inside the machine, immediately turn off the power switches of the machine and computer and disconnect the interface cable if it is connected. Then, unplug the power plug from the AC power outlet and contact your local authorized Canon dealer. Turn off the machine and unplug the power plug if the machine will not be used for an extended period of time, such as for several days. Be careful not to hurt your fingers. Even if the machine is not printing, the roller may suddenly rotate and catch your hands or clothing, resulting in personal injury. Do not touch the area surrounding the output slot, as this may result in burns. Be careful when removing the paper and aligning the removed paper,

especially after continuous printing. Failure to do so may result in burns. This may damage the platen glass and cause personal injury. This may result in personal injury. The laser beam is confined in the laser scanner unit by a cover, so there is no danger of the laser beam escaping during normal machine operation. Read the following remarks and instructions for safety. Do not use alcohol, benzene, paint thinner, or other flammable substances. If flammable substances come into contact with When removing jammed paper or when inspecting inside of the machine, be careful not to allow necklaces, bracelets, or other metal objects to touch the inside of the machine, as this can result in burns or electrical shock. This may cause the toner remaining inside the cartridges to ignite, resulting in burns or fire. The following conditions may result in fire, so please contact your local authorized Canon dealer or the Canon help line. Failure to do so can result in a fire or electrical shock.

Also, do not put your hand in an area other than indicated areas, as this may result in personal injuries or burns. If toner gets on your hands or clothing, wash them immediately with cold water. Washing with warm water sets the toner, making it impossible to remove the toner stains. The toner may get into your eyes or mouth. If toner gets into your eyes or mouth, wash them immediately with cold water and consult a physician. The toner may scatter and get into your eyes or mouth. If the toner comes into contact with your skin, wash with soap. If the skin becomes irritated or you inhale the toner, consult a physician immediately. This may cause the toner or paper to ignite, resulting in burns or fire. The toner may scatter and get into your eyes or mouth. If the skin becomes irritated or you inhale the toner, consult a physician immediately. If toner gets into your eyes or mouth, wash them immediately with cold water and consult a physician. If you use a cardiac pacemaker and feel abnormalities, please move away from this machine and consult your physician immediately. Also, read the remarks carefully. This can be trapped inside the machine, causing degradation in print quality. Do not use the other sockets of the AC power outlet. In addition, chemical particles are dispersed during printing; therefore, it is important to provide adequate ventilation. If you encounter a problem with the machines operation, try to solve it by using the information in Chapter 9. If you cannot solve the problem or if you think your machine needs servicing, contact Canon Customer Care Center at 1800KCANON between the hours of 800 A.M. to 800 P.M. EST Monday through Friday. Online support for 24 hours is also available at the website. It is an open system in which business proprietors can participate voluntarily. The standards and logos are uniform among participating nations. All rights reserved.

Use and distribution of this software modules the "SOFTWARE" are subject to conditions 1 through 9 below. Except as expressly provided herein, no This list is intended to be a guide only. Operation is subject to the following two conditions These limits are designed to provide reasonable protection against harmful interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures Do not make any changes or modifications to the equipment unless otherwise specified in this manual. If you make such changes or modifications, you could be required to stop operation of the equipment. See Chapter 11, "Appendix," for specific dimensions and weight. The line should be a regular voice grade line or an equivalent one. Use one line per unit. Key telephone systems are not recommended because they send nonstandard signals to individual telephones for ringing and special codes, which may cause a facsimile error. If requested, this number must be provided to the telephone company. Excessive RENs on a telephone line may result in the devices not ringing in response to an incoming call. In most, but not all areas, the sum of the RENs should not exceed five 5.0. To be certain of the number of devices that may be connected This equipment is designed to be connected to the telephone network or premise wiring using a compatible modular jack that is Part 68 compliant. Connection to party lines is subjected to state tariffs. Users should contact Canon

Authorized Service Facilities for servicing of equipment, Information regarding Authorized Service Facility locations can be obtained by calling Canon Customer Care Center 1800OKCANON.

The telephone company also retains the right to make changes in facilities and services that may affect the operation of this equipment. When such changes are necessary, the telephone company is required to give adequate prior notice to the user. See Chapter 11, "Appendix," for specific dimensions and weight. If the CA11A jack is not present, installation cannot occur. The line should be a regular voice grade line or an equivalent one. Use one line per unit. Key telephone systems are not recommended because they send nonstandard signals to individual telephones for ringing and special codes, which may cause a facsimile error. It should be independent from copiers, heaters, air conditioners, or any electric equipment that is thermostatically controlled. The rated value is 115 volts and 15 amperes. The CA11A modular jack should be relatively close to the power outlet to facilitate installation. The termination of an interface may consist of any combination of devices subject only to the The equipment must also be installed using an acceptable method of connection. In some cases, the company's inside wiring associated with a single line individual service may be extended by means of a certified connector assembly telephone extension cord. The customer should be aware that compliance with the Any repairs or alterations made by the user to this equipment, or equipment malfunctions, may give the telecommunications company cause to request the user to disconnect the equipment. Sans ce jack, la mise en place serait impossible. Prenez un abonnement d'une ligne par appareil. Il est également possible de raccorder ce telecopieur a un systeme telephonique a poussoirs car la plupart de ces systemes emettent des signaux d'appel non normalises ou des codes speciaux qui risquent de perturber le fonctionnement du telecopieur. Pour faciliter l'installation, le jack CA11A doit etre assez proche de la prise de courant.

Il se peut qu'il faille etendre la circuiterie interieure de la ligne individuelle d'abonne, qui a ete installee par la compagnie, au moyen d'un jeu de connecteurs homologues rallonge telephonique. La terminaison d'une interface peut consister en une combinaison quelconque de dispositifs, a la seule condition que la somme d'indices Toute reparation ou modification que pourrait faire l'utilisateur de cet appareil, ou tout mauvais fonctionnement, donne a la compagnie de telecommunication le droit de debrancher l'appareil. Cette precaution est particulierement importante dans les zones rurales This means that the machine does not produce hazardous radiation. These regulations apply to laser products manufactured from August 1, 1976. Compliance is mandatory for products marketed in the United States. You can also check the status of the network and machine. Displays items, texts, and numbers when you are specifying settings. When sending a fax, use this key to transmit the tone signal from the dial line. You can also specify whether to print a report automatically. The key turns on green when the Sleep mode is set. Decreases the volume of communication sound when pressed during the fax communication. This may cause personal injury. This may damage the platen glass and cause personal injury. Make sure to test paper before purchasing large quantities. Store all paper wrapped and on a flat surface until ready for use. Keep opened packs in their original packaging in a cool, dry location. Continued use can result in a fire or electrical shock. Note that the margin If you use a different paper size or paper type, you need The side paper guides move together. Flatten the envelopes by releasing any remaining air and creasing the edges. EOS M og EOS Rserierne af spejllose fullframekameraer leverer samme styrke som et digitalt spejlreflekskamera i et kompakt kamera. Fa mere at vide om vores brug af cookies og rediger dine cookieindstillinger her.

Du accepterer vores brug af cookies pa din enhed ved at fortsttte med at bruge vores webside eller ved at klikke pa Jeg accepterer. Det tager 1 minut og vil hjelpe os med at forbedre vores supportwebsted. EOS M and EOS R Full Frame mirrorless ranges deliver the power of DSLR in the body of a compact camera. You can also view our Frequently Asked Questions FAQs and important announcements regarding your PIXMA product. Sortimentet med kompakta EOS M och EOS

Rsystemkameror i fullformat ger kraften hos en spegelreflexkamera i ett kompakt kamerahus. Vi gör allt vi kan för att förutse, förbereda och minska eventuella avbrott i vår verksamhet. Vår reparationstider kan bli något längre och vi vet inte ännu när vi kan återgå till vår normala servicenivå. Vi beklagar de besvär detta innebär för dig och tackar för din förståelse och ditt stöd i vårt fortsatta arbete med att hålla verksamheten igång på bästa möjliga sätt. Vi meddelar dig så snart vi har ny information. On top of this sits the output tray which, thanks to an intelligent 2way feed, also functions as an input tray for nail stickers and CDs. It also spends most of the time hidden in the printer, appearing automatically when the TS8350 spins into active production. Meanwhile, the folds on the back of the lid open to reveal feedback designed for thicker photo media. Like the previous generation Pixma TS8250, TS8350 uses a six cartridge system, with cyan, magenta, yellow and black ink based dyes combined with pigmentbased blue and black photos, giving you the ability to print premium photos and the best ink for clean black text. Strangely, it seems to ignore details on wireless settings, which involve hunting through the Device Settings menu and configuring the LAN Settings page. Too bad, because this is one of the few touch screen driven printers where IU has been impressed with its overall usability.

I have used a smartphone with a smaller screen that is not as sensitive, and for once I can select items from the menu quickly or even tap on a WiFi password without straining each character. You can also print photos from Instagram and Facebook. TS8350 also works with the familyfriendly EasyPhotPrint Editor application, while Canon supplies a special Nail Creator application for those who want to print their own nail designs, although this involves splashing on the required nail sticker media. It doesn't feel extraordinarily solid, but a kind of ratchet mechanism holds it firmly in position when you work. However, on the wireless front you get dualband 802.11n connectivity, giving you the choice of the 2.4GHz and 5GHz bands for something closer to the peak connection speed; no big deal, but help if you send a large multipage document to print or scan at high dpi resolution. We saw a speed of 17.8 ppm in our blackandwhite text test with the first page appearing in only 8 seconds. The color print speed is less impressive, averaging 5.19 ppm, but while it's behind the fastest home and office inkjet printers we've tested, including the old HP Envy Photo 7830, it's still pretty good. If you print homework or download PDFs, you won't have to wait long. In fact, the TS8350 is actually faster than Envy Photo 7830 when it comes to printing complex fourpage color PDFs. That will do it, but the long gap between printing one side of the page and the other means you see a mono speed of around 3.75 ppm. A 10 x 8in photo that we saw took a few minutes to print an allinone rival appeared in less than 30 seconds on Pixma. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program.

In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Adott a cimben szereplo multifunkcios nyomi. Hiaba tisztitottam meg az uveget kivulbelul, tovabbra is kiirja a hibauzenetet. Lehetseges, hogy valami defektes benne. Canon i865 A fenti nyomtato tapjanak kapcsolasi rajzat keresem, vagy kaphato e tap kulon. Electric Scheme for Canon image runner 5000 Hi, I need an electrical scheme for the Canon image runner 5000. Nice regards. Canon PCD 450 hibakod Szevasztok. Baratom Canon PCD 450es gepe kerult hozzam E007es hibakoddal.A kemenceben a film volt elhasznalodva teflonreteg serult.Film es nyomohenger csere utan is ugyan az a hibakod.Tud valaki egy szerviz konyvvel vagy legalabb egy hibakod tablazattal segiteni vagy egy ottlettel hogy mi okozhatja a hibat. Segitsegeteket elorre is koszonom,Kallos Peter Similar manuals You can write in English language into the forum not only in Hungarian. Page Count 4 Latest updates and reviews. Compl ete the survey No, thank you. Manual s and user g ui de free P DF downl oads for Canon Col or i mag eCLA SS MF8380Cdw. Canon P ri nter 1060p. Canon A l l i n One

Printer User Manual. Pages 0 Saves 0. See Prices Buy or Upgrade. Release history Windows. 1. 4. 16. User Interface eP ad II implementation on Fixed Mag stripe increase when dropped Canon SDK 2. 15 implementation. In the Multi Purpose Tray for MF8350Cdn In the Manual Feed Slot for. Get Canon MF8350Cdn ImageCLASS Color Laser manual and user guide s Free Canon MF8350Cdn manuals. Reprints available 8 00 A M 7 00 P M Eastern M F. Canon mf8300 scanner driver. Pictures for illustration purposes only. Actual product may vary.

Product Brochure Product Demo User Manual. OKI. Endpoint Security and Firewall Management. Whirlpool duet awm 075 users manual 2100c user manual the gre ece so ny vide o gra phi c printer up 86 0 manual 110 m ig wel der buyi ng g uide canon eos 3 000 manual. P m 6303a Manual Bk Peci si on 3011 b Se rvi c e Manual Canon M f8300 S c anner Dri ver D e s cri pti on keyw ords phys i c al pe netra ti on te s ti ng, phys i c al net w ork. P hi l i ps U ni ve rs a l Rem ote Cl 032 U s e r M a nua l for M a c i s fai rly w e ll T he “ G u e s t U s e r” l o g i n c r e a t e d b y “ F i n d M y M a c ” i s n o t t h e s a m e. d r i v e r o n l y s u p p o r t s a b o u t 4 m o d e l s a n d t h u s s h o w s t h e MF 8000 s e r i e s a n d t h e MF 8300 s e r i e s i n t h e P r i n t U s i n g m e n u. U n l e s s v e r s u s c o m p e t i n g Canon M f8300 S e r i e s U f r i l t D r i v e r 802n WLAN com pl e t e s t e p G e F o r c e s t e p b e. T h i s i s a t o p i c w i t h n e w u n r e a d m e s s a g e s. I c a n t s c a n s a y s i n u s e w i t h a p p l i c a t i o n o r u s e r 6. P H. 2, 3787. 0630 2015 05 56 P M. Canon M F 8300 S e r i e s U F R I I L T C N C U P S M F 8 300 Z K. p p d M F 8 300 P l e a s e s e e t h e o n l i n e m a n u a l a b o u t t h e i n s t a l l m e t h o d a n d t h e c o n c r e t e u s a g e. 4. A r c h i v e d i n f o r m a t i o n f o r m 2014 G e n e r a l C a n o n c a m e r a a n d l e n s r u m o u r s. Please check the box to consent to receiving electronic messages from Canon Canada Inc., which include relevant information about products, services and promotions. You may withdraw your consent at any time by selecting NO. Any pending input will be lost. Was this answer helpful. Please include additional comments below. Please try again. If you require assistance, please visit our. You may have to register before you can post click the register link above to proceed. To start viewing messages, select the forum that you want to visit from the selection below.